NHS Greater Glasgow & Clyde Mental Health Services Prescribing Management Group

Protocol for the use of clozapine oro-dispersible tablets

The vast majority of patients prescribed clozapine are able to successfully take tablets. However a small number are not. For those patients the use of clozapine oro-dispersible tablets may be appropriate. This protocol must be followed to request the use of clozapine oro-dispersible tablets.

Patients meeting the following criteria are considered eligible for treatment with clozapine orodispersible:

- 1. As an alternative for patients already established on clozapine suspension.
- 2. To support establishment of clozapine treatment for patients reluctant to swallow tablets.
- 3. To aid compliance monitoring in patients with a known history of oral non-compliance.
- 4. Patients with a diagnosed swallowing difficulty who cannot swallow tablets.
- 5. A non-formulary request has been submitted to and approved by the Prescribing Management Group (PMG (MH)).

Note: the standard tablets are the preparation of choice. Patients, where possible, should be switched to standard tablets at the earliest opportunity.

Cost comparison

Clozapine Preparation	Cost per unit dose (£)
25mg standard tablets	0.05
100mg standard tablets	0.19
12.5mg oro-dispersible tablets	0.12
25mg oro-dispersible tablets	0.23
50mg oro-dispersible tablets	0.44
100mg oro-dispersible tablets	0.97
200mg oro-dispersible tablets	1.92
50mg/ml suspension	0.40

If use of clozapine oro-dispersible tablets is approved the following process <u>must</u> be completed before clozapine oro-dispersible can be prescribed.

- 1. The consultant psychiatrist, treatment location and patient must be registered with ZTAS
- 2. Confirmation of this registration must be received by pharmacy and the consultant psychiatrist before clozapine oro-dispersible is prescribed.

NHS Greater Glasgow & Clyde Mental Health Services Prescribing Management Group

- 3. <u>Inpatient- new clozapine initiation</u>: Prescribe the appropriate titration regime on HEPMA and inform Leverndale pharmacy via telephone or email. If a paper titration form is being used then this should be emailed to Leverndale Pharmacy and prescribed on HEPMA as 'clozapine loading regime- as charted'.
- 4. <u>Inpatient- formulation change:</u> Prescribe appropriately on HEPMA and inform Leverndale Pharmacy of the change via telephone or email.
- 5. <u>For outpatients:</u> Prescribe appropriately on a <u>clozapine outpatient prescription</u> form and email the prescription to Leverndale Pharmacy. This should be a new entry on the prescription form and NOT oro-dispersible added to existing clozapine.
- 6. Amend the clozapine warning on EMIS to highlight the use of oro-dispersible tablets.

Prescribing Management Group Mental Health

February 2023

