



CLINICAL GUIDELINE

Upper GI Haemorrhage Pathway, Emergency Department and Acute Assessment Unit, QEUH

A guideline is intended to assist healthcare professionals in the choice of disease-specific treatments.

Clinical judgement should be exercised on the applicability of any guideline, influenced by individual patient characteristics. Clinicians should be mindful of the potential for harmful polypharmacy and increased susceptibility to adverse drug reactions in patients with multiple morbidities or frailty.


If, after discussion with the patient or carer, there are good reasons for not following a guideline, it is good practice to record these and communicate them to others involved in the care of the patient.

Version Number:	5
Does this version include changes to clinical advice:	Yes
Date Approved:	24 th September 2024
Date of Next Review:	31 st May 2027
Lead Author:	Nicola Littlewood
Approval Group:	South Sector Clinical Governance Forum

Important Note:

The Intranet version of this document is the only version that is maintained. Any printed copies should therefore be viewed as 'Uncontrolled' and as such, may not necessarily contain the latest updates and amendments.

QEUH Emergency/Acute Medicine Upper GI Haemorrhage Pathway



Patients out-with the above criteria require to be managed as appropriate as an in-patient including completion of the Upper GI Bleeding Bundle (IAU/ARU). Found by search on Staffnet: QEUH GASTRO: Endoscopy section